

CDG SYNDROME SCIENTIFIC ARTICLES:

Aebi, M., Helenius, A., Schenk, B., Barone, R., Fiumara, A., Berger, E.G., Hennet, T., Imbach, T., Stutz, A., Bjursell, C., et al. (1999). Carbohydrate-deficient glycoprotein syndromes become congenital disorders of glycosylation: an updated nomenclature for CDG. First International Workshop on CDGS. *Glycoconj J* 16, 669-671.

Agarwal, B., Ahmed, A., Rushing, E.J., Bloom, M., Kadom, N., Vezina, G., Krasnewich, D., and Santi, M. (2007). Congenital disorder of glycosylation-X: clinicopathologic study of an autopsy case with distinct neuropathologic features. *Hum Pathol* 38, 1714-1719.

Al-Owain, M., Mohamed, S., Kaya, N., Zaghal, A., Matthijs, G., and Jaeken, J. A novel mutation and first report of dilated cardiomyopathy in ALG6-CDG (CDG-Ic): a case report. *Orphanet J Rare Dis* 5, 7.

Alton, G., Hasilik, M., Niehues, R., Panneerselvam, K., Etchison, J.R., Fana, F., and Freeze, H.H. (1998). Direct utilization of mannose for mammalian glycoprotein biosynthesis. *Glycobiology* 8, 285-295.

Alton, G., Kjaergaard, S., Etchison, J.R., Skovby, F., and Freeze, H.H. (1997). Oral ingestion of mannose elevates blood mannose levels: a first step toward a potential therapy for carbohydrate-deficient glycoprotein syndrome type I. *Biochem Mol Med* 60, 127-133.

Arnoux, J.B., Boddaert, N., Valayannopoulos, V., Romano, S., Bahi-Buisson, N., Desguerre, I., de Keyzer, Y., Munnich, A., Brunelle, F., Seta, N., et al. (2008). Risk assessment of acute vascular events in congenital disorder of glycosylation type Ia. *Mol Genet Metab* 93, 444-449.

Artigas, J., Cardo, E., Pineda, M., Nosas, R., and Jaeken, J. (1998). Phosphomannomutase deficiency and normal pubertal development. *J Inherit Metab Dis* 21, 78-79.

Assmann, B., Hackler, R., Peters, V., Schaefer, J.R., Arndt, T., Mayatepek, E., Jaeken, J., and Hoffmann, G.F. (2001). A new subtype of a congenital disorder of glycosylation (CDG) with mild clinical manifestations. *Neuropediatrics* 32, 313-318.

Babovic-Vuksanovic, D., Patterson, M.C., Schwenk, W.F., O'Brien, J.F., Vockley, J., Freeze, H.H., Mehta, D.P., and Michels, V.V. (1999). Severe hypoglycemia as a presenting symptom of carbohydrate-deficient glycoprotein syndrome. *J Pediatr* 135, 775-781.

Barone, R., Carchon, H., Jansen, E., Pavone, L., Fiumara, A., Bosshard, N.U., Gitzelmann, R., and Jaeken, J. (1998). Lysosomal enzyme activities in serum and leukocytes from patients with carbohydrate-deficient glycoprotein syndrome type IA (phosphomannomutase deficiency). *J Inherit Metab Dis* 21, 167-172.

Barone, R., Pavone, L., Fiumara, A., Bianchini, R., and Jaeken, J. (1999). Developmental patterns and neuropsychological assessment in patients with carbohydrate-deficient glycoconjugate syndrome type IA (phosphomannomutase deficiency). *Brain Dev* 21, 260-263.

Barone, R., Sturiale, L., Fiumara, A., Uziel, G., Garozzo, D., and Jaeken, J. (2007). Borderline mental development in a congenital disorder of glycosylation (CDG) type Ia patient with multisystemic involvement (intermediate phenotype). *J Inherit Metab Dis* 30, 107.

Ben Hariz, M., Ben Mrad, S., Halioui, S., Rzgui, L., Miladi, N., Tebib, N., Seta, N., and Maherzi, A. (2008). [Hepatomegaly and early cytosis as presenting symptoms in CDG syndrome type Ia]. *Tunis Med* 86, 204-207.

Bergmann, M., Gross, H.J., Abdelatty, F., Moller, P., Jaeken, J., and Schwartz-Albiez, R. (1998). Abnormal surface expression of sialoglycans on B lymphocyte cell lines from patients with carbohydrate deficient glycoprotein syndrome I A (CDGS I A). *Glycobiology* 8, 963-972.

Bode, L., Eklund, E.A., Murch, S., and Freeze, H.H. (2005). Heparan sulfate depletion amplifies TNF-alpha-induced protein leakage in an in vitro model of protein-losing enteropathy. *Am J Physiol Gastrointest Liver Physiol* 288, G1015-1023.

Bode, L., and Freeze, H.H. (2006). Applied glycoproteomics--approaches to study genetic-environmental collisions causing protein-losing enteropathy. *Biochim Biophys Acta* 1760, 547-559.

Briones, P., Vilaseca, M.A., Garcia-Silva, M.T., Pineda, M., Colomer, J., Ferrer, I., Artigas, J., Jaeken, J., and Chabas, A. (2001). Congenital disorders of glycosylation (CDG) may be underdiagnosed when mimicking mitochondrial disease. *Eur J Paediatr Neurol* 5, 127-131.

Briones, P., Vilaseca, M.A., Schollen, E., Ferrer, I., Maties, M., Busquets, C., Artuch, R., Gort, L., Marco, M., van Schaftingen, E., et al. (2002). Biochemical and molecular studies in 26 Spanish patients with congenital disorder of glycosylation type Ia. *J Inherit Metab Dis* 25, 635-646.

Burda, P., Borsig, L., de Rijk-van Andel, J., Wevers, R., Jaeken, J., Carchon, H., Berger, E.G., and Aeby, M. (1998). A novel carbohydrate-deficient glycoprotein syndrome characterized by a deficiency in glucosylation of the dolichol-linked oligosaccharide. *J Clin Invest* 102, 647-652.

Butler, M., Quelhas, D., Critchley, A.J., Carchon, H., Hebestreit, H.F., Hibbert, R.G., Vilarinho, L., Teles, E., Matthijs, G., Schollen, E., et al. (2003). Detailed glycan analysis of serum glycoproteins of patients with congenital disorders of glycosylation indicates the specific defective glycan processing step and provides an insight into pathogenesis. *Glycobiology* 13, 601-622.

Calvo, P.L., Pagliardini, S., Baldi, M., Pucci, A., Sturiale, L., Garozzo, D., Vinciguerra, T., Barbera, C., and Jaeken, J. (2008). Long-standing mild hypertransaminasaemia caused by congenital disorder of glycosylation (CDG) type IIx. *J Inherit Metab Dis*.

Cantagrel, V., Lefeber, D.J., Ng, B.G., Guan, Z., Silhavy, J.L., Bielas, S.L., Lehle, L., Hombauer, H., Adamowicz, M., Swiezewska, E., et al. SRD5A3 is required for converting polyprenol to dolichol and is mutated in a congenital glycosylation disorder. *Cell* 142, 203-217.

Carchon, H., Van Schaftingen, E., Matthijs, G., and Jaeken, J. (1999). Carbohydrate-deficient glycoprotein syndrome type IA (phosphomannomutase-deficiency). *Biochim Biophys Acta* 1455, 155-165.

Carchon, H.A., Chevigne, R., Falmagne, J.B., and Jaeken, J. (2004). Diagnosis of congenital disorders of glycosylation by capillary zone electrophoresis of serum transferrin. *Clin Chem* 50, 101-111.

Carchon, H.A., Nsibu Ndosimao, C., Van Aerschot, S., and Jaeken, J. (2006). Use of serum on Guthrie cards in screening for congenital disorders of glycosylation. *Clin Chem* 52, 774-775.

Cassiman, D., Zeevaert, R., Holme, E., Kvittingen, E.A., and Jaeken, J. (2009). A novel mutation causing mild, atypical fumarylacetooacetase deficiency (Tyrosinemia type I): a case report. *Orphanet J Rare Dis* 4, 28.

Casteels, I., Spileers, W., Leys, A., Lagae, L., and Jaeken, J. (1996). Evolution of ophthalmic and electrophysiological findings in identical twin sisters with the carbohydrate deficient glycoprotein syndrome type 1 over a period of 14 years. *Br J Ophthalmol* 80, 900-902.

Chantret, I., Dancourt, J., Dupre, T., Delenda, C., Bucher, S., Vuillaumier-Barrot, S., Ogier de Baulny, H., Peletan, C., Danos, O., Seta, N., et al. (2003). A deficiency in dolichyl-P-glucose:Glc1Man9GlcNAc2-PP-dolichyl alpha3-glucosyltransferase defines a new subtype of congenital disorders of glycosylation. *J Biol Chem* 278, 9962-9971.

Chantret, I., Dupre, T., Delenda, C., Bucher, S., Dancourt, J., Barnier, A., Charollais, A., Heron, D., Bader-Meunier, B., Danos, O., et al. (2002). Congenital disorders of glycosylation type Ig is defined by a deficiency in dolichyl-P-mannose:Man7GlcNAc2-PP-dolichyl mannosyltransferase. *J Biol Chem* 277, 25815-25822.

Charuk, J.H., Tan, J., Bernardini, M., Haddad, S., Reithmeier, R.A., Jaeken, J., and Schachter, H. (1995). Carbohydrate-deficient glycoprotein syndrome type II. An autosomal recessive N-acetylglucosaminyltransferase II deficiency different from typical hereditary erythroblastic multinuclearity, with a positive acidified-serum lysis test (HEMPAS). *Eur J Biochem* 230, 797-805.

Cheillan, D., Cognat, S., Dorche, C., Jaeken, J., Vianey-Saban, C., and Guffon, N. (2004). CDG IIx with unusual phenotype. *J Inher Metab Dis* 27, 103-104.

Cheong, F.Y., Sharma, V., Blagoveshchenskaya, A., Oorschot, V.M., Brankatschk, B., Klumperman, J., Freeze, H.H., and Mayinger, P. Spatial regulation of Golgi phosphatidylinositol-4-phosphate is required for enzyme localization and glycosylation fidelity. *Traffic* 11, 1180-1190.

Chu, K.L., Chien, Y.H., Tsai, C.E., Freeze, H.H., Eklund, E., and Hwu, W.L. (2004). Carbohydrate deficient glycoprotein syndrome type Ia. *J Formos Med Assoc* 103, 721-723.

Coddeville, B., Carchon, H., Jaeken, J., Briand, G., and Spik, G. (1998). Determination of glycan structures and molecular masses of the glycovariants of serum transferrin from a patient with carbohydrate deficient syndrome type II. *Glycoconj J* 15, 265-273.

Cohn, R.D., Eklund, E., Bergner, A.L., Casella, J.F., Woods, S.L., Althaus, J., Blakemore, K.J., Fox, H.E., Hoover-Fong, J.E., Hamosh, A., et al. (2006). Intracranial hemorrhage as the initial manifestation of a congenital disorder of glycosylation. *Pediatrics* 118, e514-521.

Coman, D., Irving, M., Kannu, P., Jaeken, J., and Savarirayan, R. (2008). The skeletal manifestations of the congenital disorders of glycosylation. *Clin Genet* 73, 507-515.

Coman, D., McGill, J., MacDonald, R., Morris, D., Klingberg, S., Jaeken, J., and Appleton, D. (2007). Congenital disorder of glycosylation type 1a: three siblings with a mild neurological phenotype. *J Clin Neurosci* 14, 668-672.

Cormier-Daire, V., Amiel, J., Vuillaumier-Barrot, S., Tan, J., Durand, G., Munnich, A., Le Merrer, M., and Seta, N. (2000). Congenital disorders of glycosylation IIa cause growth retardation, mental retardation, and facial dysmorphism. *J Med Genet* 37, 875-877.

Cromphout, K., Keldermans, L., Snellinx, A., Collet, J.F., Grunewald, S., De Geest, N., Sciot, R., Vanschaftingen, E., Jaeken, J., Matthijs, G., et al. (2005). Tissue distribution of the murine phosphomannomutases Pmm1 and Pmm2 during brain development. *Eur J Neurosci* 22, 991-996.

Dancourt, J., Vuillaumier-Barrot, S., de Baulny, H.O., Sfaello, I., Barnier, A., le Bizec, C., Dupre, T., Durand, G., Seta, N., and Moore, S.E. (2006). A new intronic mutation in the DPM1 gene is associated with a milder form of CDG Ie in two French siblings. *Pediatr Res* 59, 835-839.

Davis, J.A., and Freeze, H.H. (2001). Studies of mannose metabolism and effects of long-term mannose ingestion in the mouse. *Biochim Biophys Acta* 1528, 116-126.

de Cock, P., and Jaeken, J. (2009). MGAT2 deficiency (CDG-IIa): the Life of J. *Biochim Biophys Acta* 1792, 844-846.

de Lonlay, P., Cormier-Daire, V., Vuillaumier-Barrot, S., Cuer, M., Durand, G., Munnich, A., Saudubray, J.M., and Seta, N. (2000). [Carbohydrate-deficient blood glycoprotein syndrome]. *Arch Pediatr* 7, 173-184.

de Lonlay, P., Cuer, M., Vuillaumier-Barrot, S., Beaune, G., Castelnau, P., Kretz, M., Durand, G., Saudubray, J.M., and Seta, N. (1999). Hyperinsulinemic hypoglycemia as a presenting sign in phosphomannose isomerase deficiency: A new manifestation of carbohydrate-deficient glycoprotein syndrome treatable with mannose. *J Pediatr* 135, 379-383.

de Lonlay, P., and Seta, N. (2009). The clinical spectrum of phosphomannose isomerase deficiency, with an evaluation of mannose treatment for CDG-Ib. *Biochim Biophys Acta* 1792, 841-843.

de Lonlay, P., Seta, N., Barrot, S., Chabrol, B., Drouin, V., Gabriel, B.M., Journel, H., Kretz, M., Laurent, J., Le Merrer, M., et al. (2001). A broad spectrum of clinical presentations in congenital disorders of glycosylation I: a series of 26 cases. *J Med Genet* 38, 14-19.

de Lonlay, P., Valayannopoulos, V., Dupre, T., Vuillaumier-Barrot, S., and Seta, N. (2008). [Congenital Disorders of Glycosylation (CDG)]. *Arch Pediatr* 15, 602-605.

de Michelena, M.I., Franchi, L.M., Summers, P.G., De La Fuente, C., Campos, P.J., and Jaeken, J. (1999). Carbohydrate-deficient glycoprotein syndrome due to phosphomannomutase deficiency: the first reported cases from Latin America. *Am J Med Genet* 84, 481-483.

de Zegher, F., and Jaeken, J. (1995). Endocrinology of the carbohydrate-deficient glycoprotein syndrome type 1 from birth through adolescence. *Pediatr Res* 37, 395-401.

Di Rocco, M., Hennet, T., Grubenmann, C.E., Pagliardini, S., Allegri, A.E., Frank, C.G., Aebi, M., Vignola, S., and Jaeken, J. (2005). Congenital disorder of glycosylation (CDG) Ig: report on a patient and review of the literature. *J Inherit Metab Dis* 28, 1162-1164.

Drouin-Garraud, V., Belgrand, M., Grunewald, S., Seta, N., Dacher, J.N., Henocq, A., Matthijs, G., Cormier-Daire, V., Frebourg, T., and Saugier-Veber, P. (2001). Neurological presentation of a congenital disorder of glycosylation CDG-Ia: implications for diagnosis and genetic counseling. *Am J Med Genet* 101, 46-49.

Dupre, T., Barnier, A., de Lonlay, P., Cormier-Daire, V., Durand, G., Codogno, P., and Seta, N. (2000). Defect in N-glycosylation of proteins is tissue-dependent in congenital disorders of glycosylation Ia. *Glycobiology* 10, 1277-1281.

Dupre, T., Cuer, M., Barrot, S., Barnier, A., Cormier-Daire, V., Munnich, A., Durand, G., and Seta, N. (2001). Congenital disorder of glycosylation Ia with deficient phosphomannomutase activity but normal plasma glycoprotein pattern. *Clin Chem* 47, 132-134.

Dupre, T., Lavieu, G., Moore, S., and Seta, N. (2004). [Inherited disorders of protein glycosylation]. *Med Sci (Paris)* 20, 331-338.

Dupre, T., Ogier-Denis, E., Moore, S.E., Cormier-Daire, V., Dehoux, M., Durand, G., Seta, N., and Codogno, P. (1999). Alteration of mannose transport in fibroblasts from type I carbohydrate deficient glycoprotein syndrome patients. *Biochim Biophys Acta* 1453, 369-377.

Durand, G., Dupre, T., Vuillaumier-Barrot, S., and Seta, N. (2003). [Congenital disorders of glycosylation]. *Ann Pharm Fr* 61, 330-339.

Eklund, E.A., and Freeze, H.H. (2005). Essentials of glycosylation. *Semin Pediatr Neurol* 12, 134-143.

Eklund, E.A., and Freeze, H.H. (2006). The congenital disorders of glycosylation: a multifaceted group of syndromes. *NeuroRx* 3, 254-263.

Eklund, E.A., Merbouh, N., Ichikawa, M., Nishikawa, A., Clima, J.M., Dorman, J.A., Norberg, T., and Freeze, H.H. (2005a). Hydrophobic Man-1-P derivatives correct abnormal glycosylation in Type I congenital disorder of glycosylation fibroblasts. *Glycobiology* 15, 1084-1093.

Eklund, E.A., Newell, J.W., Sun, L., Seo, N.S., Alper, G., Willert, J., and Freeze, H.H. (2005b). Molecular and clinical description of the first US patients with congenital disorder of glycosylation Ig. *Mol Genet Metab* 84, 25-31.

Eklund, E.A., Sun, L., Westphal, V., Northrop, J.L., Freeze, H.H., and Scaglia, F. (2005c). Congenital disorder of glycosylation (CDG)-Ih patient with a severe hepato-intestinal phenotype and evolving central nervous system pathology. *J Pediatr* 147, 847-850.

Eklund, E.A., Sun, L., Yang, S.P., Pasion, R.M., Thorland, E.C., and Freeze, H.H. (2006). Congenital disorder of glycosylation Ic due to a de novo deletion and an hALG-6 mutation. *Biochem Biophys Res Commun* 339, 755-760.

Enns, G.M., Steiner, R.D., Buist, N., Cowan, C., Leppig, K.A., McCracken, M.F., Westphal, V., Freeze, H.H., O'Brien J, F., Jaeken, J., et al. (2002). Clinical and molecular features of congenital disorder of glycosylation in patients with type 1 sialotransferrin pattern and diverse ethnic origins. *J Pediatr* 141, 695-700.

Etchison, J.R., and Freeze, H.H. (1997). Enzymatic assay of D-mannose in serum. *Clin Chem* 43, 533-538.

Eyskens, F., Ceuterick, C., Martin, J.J., Janssens, G., and Jaeken, J. (1994). Carbohydrate-deficient glycoprotein syndrome with previously unreported features. *Acta Paediatr* 83, 892-896.

Faid, V., Chirat, F., Seta, N., Foulquier, F., and Morelle, W. (2007). A rapid mass spectrometric strategy for the characterization of N- and O-glycan chains in the diagnosis of defects in glycan biosynthesis. *Proteomics* 7, 1800-1813.

Fiumara, A., Barone, R., Buttitta, P., Di Pietro, M., Scuderi, A., Nigro, F., and Jaeken, J. (1994). Carbohydrate deficient glycoprotein syndrome type I: ophthalmic aspects in four Sicilian patients. *Br J Ophthalmol* 78, 845-846.

Fiumara, A., Barone, R., Buttitta, P., Musso, R., Pavone, L., Nigro, F., and Jaeken, J. (1996). Haemostatic studies in carbohydrate-deficient glycoprotein syndrome type I. *Thromb Haemost* 76, 502-504.

Fletcher, J.M., Matthijs, G., Jaeken, J., Van Schaftingen, E., and Nelson, P.V. (2000). Carbohydrate-deficient glycoprotein syndrome: beyond the screen. *J Inherit Metab Dis* 23, 396-398.

Footitt, E.J., Karimova, A., Burch, M., Yayeh, T., Dupre, T., Vuillaumier-Barrot, S., Chantret, I., Moore, S.E., Seta, N., and Grunewald, S. (2009). Cardiomyopathy in the congenital disorders of glycosylation (CDG): a case of late presentation and literature review. *J Inherit Metab Dis*.

Foulquier, F., Vasile, E., Schollen, E., Callewaert, N., Raemaekers, T., Quelhas, D., Jaeken, J., Mills, P., Winchester, B., Krieger, M., et al. (2006). Conserved oligomeric Golgi complex subunit 1 deficiency reveals a previously uncharacterized congenital disorder of glycosylation type II. *Proc Natl Acad Sci U S A* **103**, 3764-3769.

Freeze, H.H. (1998). Disorders in protein glycosylation and potential therapy: tip of an iceberg? *J Pediatr* **133**, 593-600.

Freeze, H.H. (1999). Human glycosylation disorders and sugar supplement therapy. *Biochem Biophys Res Commun* **255**, 189-193.

Freeze, H.H. (2001a). Congenital disorders of glycosylation and the pediatric liver. *Semin Liver Dis* **21**, 501-515.

Freeze, H.H. (2001b). Special considerations for glycoproteins and their purification. *Curr Protoc Mol Biol Chapter 17*, Unit17 11.

Freeze, H.H. (2001c). Update and perspectives on congenital disorders of glycosylation. *Glycobiology* **11**, 129R-143R.

Freeze, H.H. (2002). Human disorders in N-glycosylation and animal models. *Biochim Biophys Acta* **1573**, 388-393.

Freeze, H.H. (2006). Genetic defects in the human glycome. *Nat Rev Genet* **7**, 537-551.

Freeze, H.H. (2007a). Congenital Disorders of Glycosylation: CDG-I, CDG-II, and beyond. *Curr Mol Med* **7**, 389-396.

Freeze, H.H. (2007b). Novel perspectives on glycosylation and human disease. *Curr Mol Med* **7**, 387.
Freeze, H.H. (2009). Towards a therapy for phosphomannomutase 2 deficiency, the defect in CDG-Ia patients. *Biochim Biophys Acta* **1792**, 835-840.

Freeze, H.H., and Aebi, M. (1999). Molecular basis of carbohydrate-deficient glycoprotein syndromes type I with normal phosphomannomutase activity. *Biochim Biophys Acta* **1455**, 167-178.

Freeze, H.H., and Aebi, M. (2005). Altered glycan structures: the molecular basis of congenital disorders of glycosylation. *Curr Opin Struct Biol* **15**, 490-498.

Freeze, H.H., and Kranz, C. Endoglycosidase and glycoamidase release of N-linked glycans. *Curr Protoc Immunol Chapter 8*, Unit 8 15 11-25.

Freeze, H.H., Lammertz, M., Iranfar, N., Fuller, D., Panneerselvam, K., and Loomis, W.F. (1997). Consequences of disrupting the gene that encodes alpha-glucosidase II in the N-linked oligosaccharide biosynthesis pathway of *Dictyostelium discoideum*. *Dev Genet* **21**, 177-186.

Freeze, H.H., and Sharma, V. Metabolic manipulation of glycosylation disorders in humans and animal models. *Semin Cell Dev Biol* 21, 655-662.

Freeze, H.H., and Westphal, V. (2001). Balancing N-linked glycosylation to avoid disease. *Biochimie* 83, 791-799.

Fujita, N., Tamura, A., Higashidani, A., Tonozuka, T., Freeze, H.H., and Nishikawa, A. (2008). The relative contribution of mannose salvage pathways to glycosylation in PMI-deficient mouse embryonic fibroblast cells. *FEBS J* 275, 788-798.

Garel, C., Baumann, C., Besnard, M., Ogier, H., Jaeken, J., and Hassan, M. (1998). Carbohydrate-deficient glycoprotein syndrome type I: a new cause of dysostosis multiplex. *Skeletal Radiol* 27, 43-45.

Giurgea, I., Michel, A., Le Merrer, M., Seta, N., and de Lonlay, P. (2005). Underdiagnosis of mild congenital disorders of glycosylation type Ia. *Pediatr Neurol* 32, 121-123.

Grunewald, S., De Vos, R., and Jaeken, J. (2003). Abnormal lysosomal inclusions in liver hepatocytes but not in fibroblasts in congenital disorders of glycosylation (CDG). *J Inherit Metab Dis* 26, 49-54.

Grunewald, S., Imbach, T., Huijben, K., Rubio-Gozalbo, M.E., Verrips, A., de Klerk, J.B., Stroink, H., de Rijk-van Andel, J.F., Van Hove, J.L., Wendel, U., et al. (2000). Clinical and biochemical characteristics of congenital disorder of glycosylation type Ic, the first recognized endoplasmic reticulum defect in N-glycan synthesis. *Ann Neurol* 47, 776-781.

Grunewald, S., Matthijs, G., and Jaeken, J. (2002). Congenital disorders of glycosylation: a review. *Pediatr Res* 52, 618-624.

Grunewald, S., Schollen, E., Van Schaftingen, E., Jaeken, J., and Matthijs, G. (2001). High residual activity of PMM2 in patients' fibroblasts: possible pitfall in the diagnosis of CDG-Ia (phosphomannomutase deficiency). *Am J Hum Genet* 68, 347-354.

Henry, H., Tissot, J.D., Messerli, B., Markert, M., Muntau, A., Skladal, D., Sperl, W., Jaeken, J., Weidinger, S., Heyne, K., et al. (1997). Microheterogeneity of serum glycoproteins and their liver precursors in patients with carbohydrate-deficient glycoprotein syndrome type I: apparent deficiencies in clusterin and serum amyloid P. *J Lab Clin Med* 129, 412-421.

Hertz-Pannier, L., Dechaux, M., Sinico, M., Emond, S., Cormier-Daire, V., Saudubray, J.M., Brunelle, F., Niaudet, P., Seta, N., and de Lonlay, P. (2006). Congenital disorders of glycosylation type I: a rare but new cause of hyperechoic kidneys in infants and children due to early microcystic changes. *Pediatr Radiol* 36, 108-114.

Imbach, T., Grunewald, S., Schenk, B., Burda, P., Schollen, E., Wevers, R.A., Jaeken, J., de Klerk, J.B., Berger, E.G., Matthijs, G., et al. (2000a). Multi-allelic origin of congenital disorder of glycosylation (CDG)-Ic. *Hum Genet* 106, 538-545.

Imbach, T., Schenk, B., Schollen, E., Burda, P., Stutz, A., Grunewald, S., Bailie, N.M., King, M.D., Jaeken, J., Matthijs, G., et al. (2000b). Deficiency of dolichol-phosphate-mannose synthase-1 causes congenital disorder of glycosylation type Ie. *J Clin Invest* 105, 233-239.

Jaeken, J. (2003). Komrower Lecture. Congenital disorders of glycosylation (CDG): it's all in it! *J Inherit Metab Dis* 26, 99-118.

Jaeken, J. (2004). Congenital disorders of glycosylation (CDG): update and new developments. *J Inherit Metab Dis* 27, 423-426.

Jaeken, J., Artigas, J., Barone, R., Fiumara, A., de Koning, T.J., Poll-The, B.T., de Rijk-van Andel, J.F., Hoffmann, G.F., Assmann, B., Mayatepek, E., et al. (1997a). Phosphomannomutase deficiency is the main cause of carbohydrate-deficient glycoprotein syndrome with type I isoelectrofocusing pattern of serum sialotransferrins. *J Inherit Metab Dis* 20, 447-449.

Jaeken, J., and Carchon, H. (1993). The carbohydrate-deficient glycoprotein syndromes: an overview. *J Inherit Metab Dis* 16, 813-820.

Jaeken, J., and Carchon, H. (2000). What's new in congenital disorders of glycosylation? *Eur J Paediatr Neurol* 4, 163-167.

Jaeken, J., and Carchon, H. (2001). Congenital disorders of glycosylation: the rapidly growing tip of the iceberg. *Curr Opin Neurol* 14, 811-815.

Jaeken, J., and Carchon, H. (2004). Congenital disorders of glycosylation: a booming chapter of pediatrics. *Curr Opin Pediatr* 16, 434-439.

Jaeken, J., Carchon, H., and Stibler, H. (1993a). The carbohydrate-deficient glycoprotein syndromes: pre-Golgi and Golgi disorders? *Glycobiology* 3, 423-428.

Jaeken, J., and Casaer, P. (1997). Carbohydrate-deficient glycoconjugate (CDG) syndromes: a new chapter of neuropaediatrics. *Eur J Paediatr Neurol* 1, 61-66.

Jaeken, J., De Cock, P., Stibler, H., Van Geet, C., Kint, J., Ramaekers, V., and Carchon, H. (1993b). Carbohydrate-deficient glycoprotein syndrome type II. *J Inherit Metab Dis* 16, 1041.

Jaeken, J., Hennet, T., Freeze, H.H., and Matthijs, G. (2008). On the nomenclature of congenital disorders of glycosylation (CDG). *J Inherit Metab Dis* 31, 669-672.

Jaeken, J., Hennet, T., Matthijs, G., and Freeze, H.H. (2009a). CDG nomenclature: time for a change! *Biochim Biophys Acta* 1792, 825-826.

Jaeken, J., and Matthijs, G. (2001). Congenital disorders of glycosylation. *Annu Rev Genomics Hum Genet* 2, 129-151.

Jaeken, J., and Matthijs, G. (2007). Congenital disorders of glycosylation: a rapidly expanding disease family. *Annu Rev Genomics Hum Genet* 8, 261-278.

Jaeken, J., and Matthijs, G. (2009). From glycosylation to glycosylation diseases. *Biochim Biophys Acta* **1792**, 823.

Jaeken, J., Matthijs, G., Barone, R., and Carchon, H. (1997b). Carbohydrate deficient glycoprotein (CDG) syndrome type I. *J Med Genet* **34**, 73-76.

Jaeken, J., Matthijs, G., Saudubray, J.M., Dionisi-Vici, C., Bertini, E., de Lonlay, P., Henri, H., Carchon, H., Schollen, E., and Van Schaftingen, E. (1998). Phosphomannose isomerase deficiency: a carbohydrate-deficient glycoprotein syndrome with hepatic-intestinal presentation. *Am J Hum Genet* **62**, 1535-1539.

Jaeken, J., Pirard, M., Adamowicz, M., Pronicka, E., and van Schaftingen, E. (1996). Inhibition of phosphomannose isomerase by fructose 1-phosphate: an explanation for defective N-glycosylation in hereditary fructose intolerance. *Pediatr Res* **40**, 764-766.

Jaeken, J., Schachter, H., Carchon, H., De Cock, P., Coddeville, B., and Spik, G. (1994). Carbohydrate deficient glycoprotein syndrome type II: a deficiency in Golgi localised N-acetyl-glucosaminyltransferase II. *Arch Dis Child* **71**, 123-127.

Jaeken, J., Stibler, H., and Hagberg, B. (1991). The carbohydrate-deficient glycoprotein syndrome. A new inherited multisystemic disease with severe nervous system involvement. *Acta Paediatr Scand Suppl* **375**, 1-71.

Jaeken, J., Vleugels, W., Regal, L., Corchia, C., Goemans, N., Haeuptle, M.A., Foulquier, F., Hennet, T., Matthijs, G., and Dionisi-Vici, C. (2009b). RFT1-CDG: Deafness as a novel feature of congenital disorders of glycosylation. *J Inherit Metab Dis*.

Kjaergaard, S., Kristiansson, B., Stibler, H., Freeze, H.H., Schwartz, M., Martinsson, T., and Skovby, F. (1998). Failure of short-term mannose therapy of patients with carbohydrate-deficient glycoprotein syndrome type 1A. *Acta Paediatr* **87**, 884-888.

Knopf, C., Rod, R., Jaeken, J., Berant, M., Van Schaftingen, E., Fryns, J.P., Brill-Zamir, R., Gershoni-Baruch, R., Lischinsky, S., and Mandel, H. (2000). Transferrin protein variant mimicking carbohydrate-deficient glycoprotein syndrome in trisomy 7 mosaicism. *J Inherit Metab Dis* **23**, 399-403.

Kranz, C., Basinger, A.A., Gucsavas-Calikoglu, M., Sun, L., Powell, C.M., Henderson, F.W., Aylsworth, A.S., and Freeze, H.H. (2007a). Expanding spectrum of congenital disorder of glycosylation Ig (CDG-Ig): sibs with a unique skeletal dysplasia, hypogammaglobulinemia, cardiomyopathy, genital malformations, and early lethality. *Am J Med Genet A* **143A**, 1371-1378.

Kranz, C., Denecke, J., Lehrman, M.A., Ray, S., Kienz, P., Kreissel, G., Sagi, D., Peter-Katalinic, J., Freeze, H.H., Schmid, T., et al. (2001). A mutation in the human MPDU1 gene causes congenital disorder of glycosylation type If (CDG-If). *J Clin Invest* **108**, 1613-1619.

Kranz, C., Ng, B.G., Sun, L., Sharma, V., Eklund, E.A., Miura, Y., Ungar, D., Lupashin, V., Winkel, R.D., Cipollo, J.F., et al. (2007b). COG8 deficiency causes new congenital disorder of glycosylation type IIh. *Hum Mol Genet* 16, 731-741.

Kranz, C., Sun, L., Eklund, E.A., Krasnewich, D., Casey, J.R., and Freeze, H.H. (2007c). CDG-IId in two siblings with partially different phenotypes. *Am J Med Genet A* 143A, 1414-1420.

Krasnewich, D., and Gahl, W.A. (1997). Carbohydrate-deficient glycoprotein syndrome. *Adv Pediatr* 44, 109-140.

Krasnewich, D., O'Brien, K., and Sparks, S. (2007). Clinical features in adults with congenital disorders of glycosylation type Ia (CDG-Ia). *Am J Med Genet C Semin Med Genet* 145C, 302-306.

Le Bizec, C., Vuillaumier-Barrot, S., Barnier, A., Dupre, T., Durand, G., and Seta, N. (2005). A new insight into PMM2 mutations in the French population. *Hum Mutat* 25, 504-505.

Liem, Y.S., Bode, L., Freeze, H.H., Leebeek, F.W., Zandbergen, A.A., and Paul Wilson, J. (2008). Using heparin therapy to reverse protein-losing enteropathy in a patient with CDG-Ib. *Nat Clin Pract Gastroenterol Hepatol* 5, 220-224.

Mandato, C., Brive, L., Miura, Y., Davis, J.A., Di Cosmo, N., Lucariello, S., Pagliardini, S., Seo, N.S., Parenti, G., Vecchione, R., et al. (2006). Cryptogenic liver disease in four children: a novel congenital disorder of glycosylation. *Pediatr Res* 59, 293-298.

Marquardt, T., Brune, T., Luhn, K., Zimmer, K.P., Korner, C., Fabritz, L., van der Werft, N., Vormoor, J., Freeze, H.H., Louwen, F., et al. (1999). Leukocyte adhesion deficiency II syndrome, a generalized defect in fucose metabolism. *J Pediatr* 134, 681-688.

Marquardt, T., and Freeze, H. (2001). Congenital disorders of glycosylation: glycosylation defects in man and biological models for their study. *Biol Chem* 382, 161-177.

Martin, P.T., and Freeze, H.H. (2003). Glycobiology of neuromuscular disorders. *Glycobiology* 13, 67R-75R.

Martinsson, T., Bjursell, C., Stibler, H., Kristiansson, B., Skovby, F., Jaeken, J., Blennow, G., Stromme, P., Hanefeld, F., and Wahlstrom, J. (1994). Linkage of a locus for carbohydrate-deficient glycoprotein syndrome type I (CDG1) to chromosome 16p, and linkage disequilibrium to microsatellite marker D16S406. *Hum Mol Genet* 3, 2037-2042.

Matthijs, G., Legius, E., Schollen, E., Vandenbergk, P., Jaeken, J., Barone, R., Fiumara, A., Visser, G., Lambert, M., and Cassiman, J.J. (1996). Evidence for genetic heterogeneity in the carbohydrate-deficient glycoprotein syndrome type I (CDG1). *Genomics* 35, 597-599.

Matthijs, G., Schollen, E., Bjursell, C., Erlandson, A., Freeze, H., Imtiaz, F., Kjaergaard, S., Martinsson, T., Schwartz, M., Seta, N., et al. (2000). Mutations in PMM2 that cause congenital disorders of glycosylation, type Ia (CDG-Ia). *Hum Mutat* 16, 386-394.

Matthijs, G., Schollen, E., Cassiman, J.J., Cormier-Daire, V., Jaeken, J., and van Schaftingen, E. (1998a). Prenatal diagnosis in CDG1 families: beware of heterogeneity. *Eur J Hum Genet* 6, 99-104.

Matthijs, G., Schollen, E., Pardon, E., Veiga-Da-Cunha, M., Jaeken, J., Cassiman, J.J., and Van Schaftingen, E. (1997). Mutations in PMM2, a phosphomannomutase gene on chromosome 16p13, in carbohydrate-deficient glycoprotein type I syndrome (Jaeken syndrome). *Nat Genet* 16, 88-92.

Matthijs, G., Schollen, E., Van Schaftingen, E., Cassiman, J.J., and Jaeken, J. (1998b). Lack of homozygotes for the most frequent disease allele in carbohydrate-deficient glycoprotein syndrome type 1A. *Am J Hum Genet* 62, 542-550.

McKenzie, F.A., Fietz, M., Fletcher, J., Smith, R.L., Wright, I.M., and Jaeken, J. (2007). A previously undescribed form of congenital disorder of glycosylation with variable presentation in siblings: early fetal loss with hydrops fetalis, and infant death with hypoproteinemia. *Am J Med Genet A* 143A, 2029-2034.

Mention, K., Lacaille, F., Valayannopoulos, V., Romano, S., Kuster, A., Cretz, M., Zaidan, H., Galmiche, L., Jaubert, F., de Keyzer, Y., et al. (2008). Development of liver disease despite mannose treatment in two patients with CDG-Ib. *Mol Genet Metab* 93, 40-43.

Miller, B.S., and Freeze, H.H. (2003). New disorders in carbohydrate metabolism: congenital disorders of glycosylation and their impact on the endocrine system. *Rev Endocr Metab Disord* 4, 103-113.

Miossec-Chauvet, E., Mikaeloff, Y., Heron, D., Merzoug, V., Cormier-Daire, V., de Lonlay, P., Matthijs, G., Van Hulle, C., Ponsot, G., and Seta, N. (2003). Neurological presentation in pediatric patients with congenital disorders of glycosylation type Ia. *Neuropediatrics* 34, 1-6.

Miura, Y., Tay, S.K., Aw, M.M., Eklund, E.A., and Freeze, H.H. (2005). Clinical and biochemical characterization of a patient with congenital disorder of glycosylation (CDG) IIx. *J Pediatr* 147, 851-853.

Newell, J.W., Seo, N.S., Enns, G.M., McCracken, M., Mantovani, J.F., and Freeze, H.H. (2003). Congenital disorder of glycosylation Ic in patients of Indian origin. *Mol Genet Metab* 79, 221-228.

Ng, B.G., Kranz, C., Hagebeuk, E.E., Duran, M., Abeling, N.G., Wuyts, B., Ungar, D., Lupashin, V., Hartdorff, C.M., Poll-The, B.T., et al. (2007). Molecular and clinical characterization of a Moroccan Cog7 deficient patient. *Mol Genet Metab* 91, 201-204.

Niehues, R., Hasilik, M., Alton, G., Korner, C., Schiebe-Sukumar, M., Koch, H.G., Zimmer, K.P., Wu, R., Harms, E., Reiter, K., et al. (1998). Carbohydrate-deficient glycoprotein syndrome type Ib. Phosphomannose isomerase deficiency and mannose therapy. *J Clin Invest* 101, 1414-1420.

Nsibu, N.C., Jaeken, J., Carchon, H., Mampunza, M., Sturiale, L., Garozzo, D., Mashako, M.N., and Tshibassu, M.P. (2008). Clinical and biochemical features in a Congolese infant with congenital disorder of glycosylation (CDG)-IIx. *Eur J Paediatr Neurol* 12, 257-261.

Orvisky, E., Stubblefield, B., Long, R.T., Martin, B.M., Sidransky, E., and Krasnewich, D. (2003). Phosphomannomutase activity in congenital disorders of glycosylation type Ia determined by direct analysis of the interconversion of mannose-1-phosphate to mannose-6-phosphate by high-pH anion-exchange chromatography with pulsed amperometric detection. *Anal Biochem* 317, 12-18.

Panneerselvam, K., Etchison, J.R., and Freeze, H.H. (1997a). Human fibroblasts prefer mannose over glucose as a source of mannose for N-glycosylation. Evidence for the functional importance of transported mannose. *J Biol Chem* 272, 23123-23129.

Panneerselvam, K., Etchison, J.R., Skovby, F., and Freeze, H.H. (1997b). Abnormal metabolism of mannose in families with carbohydrate-deficient glycoprotein syndrome type 1. *Biochem Mol Med* 61, 161-167.

Panneerselvam, K., and Freeze, H.H. (1995). Enzymes involved in the synthesis of mannose-6-phosphate from glucose are normal in carbohydrate deficient glycoprotein syndrome fibroblasts. *Biochem Biophys Res Commun* 208, 517-522.

Panneerselvam, K., and Freeze, H.H. (1996a). Mannose corrects altered N-glycosylation in carbohydrate-deficient glycoprotein syndrome fibroblasts. *J Clin Invest* 97, 1478-1487.

Panneerselvam, K., and Freeze, H.H. (1996b). Mannose enters mammalian cells using a specific transporter that is insensitive to glucose. *J Biol Chem* 271, 9417-9421.

Parente, F., Ah Mew, N., Jaeken, J., and Gilfix, B.M. A new capillary zone electrophoresis method for the screening of congenital disorders of glycosylation (CDG). *Clin Chim Acta* 411, 64-66.

Pavone, L., Fiumara, A., Barone, R., Rizzo, R., Buttitta, P., Dobyns, W.B., and Jaeken, J. (1996). Olivopontocerebellar atrophy leading to recognition of carbohydrate-deficient glycoprotein syndrome type I. *J Neurol* 243, 700-705.

Pearl, P.L., and Krasnewich, D. (2001). Neurologic course of congenital disorders of glycosylation. *J Child Neurol* 16, 409-413.

Penel-Capelle, D., Dobbelaere, D., Jaeken, J., Klein, A., Cartigny, M., and Weill, J. (2003). Congenital disorder of glycosylation Ib (CDG-Ib) without gastrointestinal symptoms. *J Inherit Metab Dis* 26, 83-85.

Pirard, M., Matthijs, G., Heykants, L., Schollen, E., Grunewald, S., Jaeken, J., and van Schaftingen, E. (1999). Effect of mutations found in carbohydrate-deficient glycoprotein syndrome type IA on the activity of phosphomannomutase 2. *FEBS Lett* 452, 319-322.

Pohl, S., Hoffmann, A., Rudiger, A., Nimtz, M., Jaeken, J., and Conradt, H.S. (1997). Hypoglycosylation of a brain glycoprotein (beta-trace protein) in CDG syndromes due to phosphomannomutase deficiency and N-acetylglucosaminyl-transferase II deficiency. *Glycobiology* 7, 1077-1084.

Powell, L.D., Paneerselvam, K., Vij, R., Diaz, S., Manzi, A., Buist, N., Freeze, H., and Varki, A. (1994). Carbohydrate-deficient glycoprotein syndrome: not an N-linked oligosaccharide processing defect, but an abnormality in lipid-linked oligosaccharide biosynthesis? *J Clin Invest* 94, 1901-1909.

Ramaekers, V.T., Stibler, H., Kint, J., and Jaeken, J. (1991). A new variant of the carbohydrate deficient glycoproteins syndrome. *J Inherit Metab Dis* 14, 385-388.

Romano, S., Bajolle, F., Valayannopoulos, V., Lyonnet, S., Colomb, V., de Barace, C., Vouhe, P., Pouard, P., Vuillaumier-Barrot, S., Dupre, T., et al. (2009). Conotruncal heart defects in three patients with congenital disorder of glycosylation type Ia (CDG Ia). *J Med Genet* 46, 287-288.

Sala, G., Dupre, T., Seta, N., Codogno, P., and Ghidoni, R. (2002). Increased biosynthesis of glycosphingolipids in congenital disorder of glycosylation Ia (CDG-Ia) fibroblasts. *Pediatr Res* 52, 645-651.

Schachter, H., and Freeze, H.H. (2009). Glycosylation diseases: quo vadis? *Biochim Biophys Acta* 1792, 925-930.

Schachter, H., and Jaeken, J. (1999). Carbohydrate-deficient glycoprotein syndrome type II. *Biochim Biophys Acta* 1455, 179-192.

Schenk, B., Imbach, T., Frank, C.G., Grubenmann, C.E., Raymond, G.V., Hurvitz, H., Korn-Lubetzki, I., Revel-Vik, S., Raas-Rotschild, A., Luder, A.S., et al. (2001). MPDU1 mutations underlie a novel human congenital disorder of glycosylation, designated type If. *J Clin Invest* 108, 1687-1695.

Schollen, E., Kjaergaard, S., Martinsson, T., Vuillaumier-Barrot, S., Dunoe, M., Keldermans, L., Seta, N., and Matthijs, G. (2004). Increased recurrence risk in congenital disorders of glycosylation type Ia (CDG-Ia) due to a transmission ratio distortion. *J Med Genet* 41, 877-880.

Seta, N. (1999). [Carbohydrate-deficient glycoprotein syndrome and glycosylation of N-glycoproteins]. *Arch Pediatr* 6 Suppl 2, 206s-208s.

Seta, N., Barnier, A., Hochedez, F., Besnard, M.A., and Durand, G. (1996). Diagnostic value of Western blotting in carbohydrate-deficient glycoprotein syndrome. *Clin Chim Acta* 254, 131-140.

Spaapen, L.J., Bakker, J.A., van der Meer, S.B., Sijstermans, H.J., Steet, R.A., Wevers, R.A., and Jaeken, J. (2005). Clinical and biochemical presentation of siblings with COG-7 deficiency, a lethal multiple O- and N-glycosylation disorder. *J Inherit Metab Dis* 28, 707-714.

Sturiale, L., Barone, R., Fiumara, A., Perez, M., Zaffanello, M., Sorge, G., Pavone, L., Tortorelli, S., O'Brien, J.F., Jaeken, J., et al. (2005). Hypoglycosylation with increased fucosylation and branching of serum transferrin N-glycans in untreated galactosemia. *Glycobiology* 15, 1268-1276.

Sun, L., Eklund, E.A., Chung, W.K., Wang, C., Cohen, J., and Freeze, H.H. (2005a). Congenital disorder of glycosylation id presenting with hyperinsulinemic hypoglycemia and islet cell hyperplasia. *J Clin Endocrinol Metab* 90, 4371-4375.

Sun, L., Eklund, E.A., Van Hove, J.L., Freeze, H.H., and Thomas, J.A. (2005b). Clinical and molecular characterization of the first adult congenital disorder of glycosylation (CDG) type Ic patient. *Am J Med Genet A* 137, 22-26.

Tan, J., Dunn, J., Jaeken, J., and Schachter, H. (1996). Mutations in the MGAT2 gene controlling complex N-glycan synthesis cause carbohydrate-deficient glycoprotein syndrome type II, an autosomal recessive disease with defective brain development. *Am J Hum Genet* 59, 810-817.

Van Dijk, W., Koeleman, C., Van het Hof, B., Poland, D., Jakobs, C., and Jaeken, J. (2001). Increased alpha3-fucosylation of alpha(1)-acid glycoprotein in patients with congenital disorder of glycosylation type IA (CDG-Ia). *FEBS Lett* 494, 232-235.

Van Geet, C., Jaeken, J., Freson, K., Lenaerts, T., Arnout, J., Vermylen, J., and Hoylaerts, M.F. (2001). Congenital disorders of glycosylation type Ia and IIa are associated with different primary haemostatic complications. *J Inherit Metab Dis* 24, 477-492.

van Ommen, C.H., Peters, M., Barth, P.G., Vreken, P., Wanders, R.J., and Jaeken, J. (2000). Carbohydrate-deficient glycoprotein syndrome type 1a: a variant phenotype with borderline cognitive dysfunction, cerebellar hypoplasia, and coagulation disturbances. *J Pediatr* 136, 400-403.

Van Schaftingen, E., and Jaeken, J. (1995). Phosphomannomutase deficiency is a cause of carbohydrate-deficient glycoprotein syndrome type I. *FEBS Lett* 377, 318-320.

Varki, A., and Freeze, H.H. (1994). The major glycosylation pathways of mammalian membranes. A summary. *Subcell Biochem* 22, 71-100.

Varki, A., Freeze, H.H., and Manzi, A.E. (2001). Overview of glycoconjugate analysis. *Curr Protoc Protein Sci Chapter 12, Unit 12 11.*

Vleugels, W., Haeuptle, M.A., Ng, B.G., Michalski, J.C., Battini, R., Dionisi-Vici, C., Ludman, M.D., Jaeken, J., Foulquier, F., Freeze, H.H., et al. (2009a). RFT1 deficiency in three novel CDG patients. *Hum Mutat* 30, 1428-1434.

Vleugels, W., Keldermans, L., Jaeken, J., Butters, T.D., Michalski, J.C., Matthijs, G., and Foulquier, F. (2009b). Quality control of glycoproteins bearing truncated glycans in an ALG9-defective (CDG-IL) patient. *Glycobiology* 19, 910-917.

Vuillaumier-Barrot, S., Barnier, A., Cuer, M., Durand, G., Grandchamp, B., and Seta, N. (1999). Characterization of the 415G>A (E139K) PMM2 mutation in carbohydrate-deficient glycoprotein syndrome type Ia disrupting a splicing enhancer resulting in exon 5 skipping. *Hum Mutat* 14, 543-544.

Vuillaumier-Barrot, S., Bizec, C.L., Durand, G., Grandchamp, B., and Seta, N. (2000a). Identification of a IVS4-58delATG polymorphism in the human phosphomannomutase 2 (PMM2) gene. *Hum Mutat* 15, 486.

Vuillaumier-Barrot, S., Hetet, G., Barnier, A., Dupre, T., Cuer, M., de Lonlay, P., Cormier-Daire, V., Durand, G., Grandchamp, B., and Seta, N. (2000b). Identification of four novel PMM2 mutations in congenital disorders of glycosylation (CDG) Ia French patients. *J Med Genet* 37, 579-580.

Vuillaumier-Barrot, S., Le Bizec, C., De Lonlay, P., Madinier-Chappat, N., Barnier, A., Dupre, T., Durand, G., and Seta, N. (2006). PMM2 intronic branch-site mutations in CDG-Ia. *Mol Genet Metab* 87, 337-340.

Wang, Y., Tan, J., Sutton-Smith, M., Ditto, D., Panico, M., Campbell, R.M., Varki, N.M., Long, J.M., Jaeken, J., Levinson, S.R., et al. (2001). Modeling human congenital disorder of glycosylation type IIa in the mouse: conservation of asparagine-linked glycan-dependent functions in mammalian physiology and insights into disease pathogenesis. *Glycobiology* 11, 1051-1070.

Westphal, V., Enns, G.M., McCracken, M.F., and Freeze, H.H. (2001a). Functional analysis of novel mutations in a congenital disorder of glycosylation Ia patient with mixed Asian ancestry. *Mol Genet Metab* 73, 71-76.

Westphal, V., Kjaergaard, S., Davis, J.A., Peterson, S.M., Skovby, F., and Freeze, H.H. (2001b). Genetic and metabolic analysis of the first adult with congenital disorder of glycosylation type Ib: long-term outcome and effects of mannose supplementation. *Mol Genet Metab* 73, 77-85.

Westphal, V., Peterson, S., Patterson, M., Tournay, A., Blumenthal, A., Treacy, E.P., and Freeze, H.H. (2001c). Functional significance of PMM2 mutations in mildly affected patients with congenital disorders of glycosylation Ia. *Genet Med* 3, 393-398.

Westphal, V., Srikrishna, G., and Freeze, H.H. (2000). Congenital disorders of glycosylation: have you encountered them? *Genet Med* 2, 329-337.

Westphal, V., Xiao, M., Kwok, P.Y., and Freeze, H.H. (2003). Identification of a frequent variant in ALG6, the cause of Congenital Disorder of Glycosylation-Ic. *Hum Mutat* 22, 420-421.

Wu, X., Steet, R.A., Bohorov, O., Bakker, J., Newell, J., Krieger, M., Spaapen, L., Kornfeld, S., and Freeze, H.H. (2004). Mutation of the COG complex subunit gene COG7 causes a lethal congenital disorder. *Nat Med* 10, 518-523.

Zdebska, E., Bader-Meunier, B., Schischmanoff, P.O., Dupre, T., Seta, N., Tchernia, G., Koscielak, J., and Delaunay, J. (2003). Abnormal glycosylation of red cell membrane band 3 in the congenital disorder of glycosylation Ig. *Pediatr Res* 54, 224-229.

Zeevaert, R., Foulquier, F., Cheillan, D., Cloix, I., Guffon, N., Sturiale, L., Garozzo, D., Matthijs, G., and Jaeken, J. (2009). A new mutation in COG7 extends the spectrum of COG subunit deficiencies. *Eur J Med Genet* 52, 303-305.

Zeevaert, R., Foulquier, F., Jaeken, J., and Matthijs, G. (2008). Deficiencies in subunits of the Conserved Oligomeric Golgi (COG) complex define a novel group of Congenital Disorders of Glycosylation. *Mol Genet Metab* 93, 15-21.

Zentilin Boyer, M., de Lonlay, P., Seta, N., Besnard, M., Pelatan, C., Ogier, H., Hugot, J.P., Faure, C., Saudubray, J.M., Navarro, J., et al. (2003). [Failure to thrive and intestinal diseases in congenital disorders of glycosylation]. *Arch Pediatr* 10, 590-595.